

EU TYPE-EXAMINATION CERTIFICATE

Regulation (EU) 2016/425, MODULE B

0598/PPE/26/3176 Issue 1

Product Safety footwear

Model Low Shoe: LIGERO2 S1P LOW, LIGERO2 S1P LOW TLS,
Ankle Boot: LIGERO2 S1P MID, LIGERO2 S1P MID TLS

Trademark SAFETY JOGGER

Certificate Holder / Manufacturer CORTINA NV
Meersbloem-Melden 42, 9700 Oudenaarde, Belgium

Product complies with the applicable essential health and safety requirements of Regulation (EU) 2016/425 and standard(s) mentioned below

Standard(s) EN ISO 20345:2022 + A1:2024 (Personal protective equipment – Safety Footwear), Class I footwear, with a performance category of S1, with additional applications: PS, SR, FO, SC and CI;

Validity This certificate is valid until 2031-09-24.

Date of issue 2026-09-24

SGS Fimko Oy

Signature



SGS Fimko Oy is a Notified Body (0598) according to the Personal Protective Equipment Regulation (EU)



Additional information

- a) Model: LIGERO2 S1P LOW, low shoe: design A, comprising of polyester fabric upper with black TPU covering and scuff cap, N604 SJ composite toecap, SJ Light non-metallic penetration resistance insert/insole, polyester mesh vamp lining and quarter lining, Oxy Neoprene single (polyester) counter lining, tongue lining, collar lining, tongue and collar, available in three insock options: 1. Dark Grey Polyester Mesh + SJFOAM2 Industrial (PU)/SJ3FIT (REGULAR) , 2) Dark Grey Polyester Mesh + SJ3FIT (SLIM) ,3) Dark Grey Polyester Mesh + SJ3FIT (WIDE), PU sole, lace-up closure, sewn with polyester thread, available in three colourways: BLK(black upper, collar, tongue and lining), ORA(black upper, collar, tongue and lining), NAV(navy upper, collar, tongue and lining) , in size range: EU 35-48;
- b) Model: LIGERO2 S1P LOW TLS, low shoe: design A, comprising of polyester fabric upper with black TPU covering and scuff cap, N604 SJ composite toecap, SJ Light non-metallic penetration resistance insert/insole, polyester mesh vamp lining and quarter lining, Oxy Neoprene single polyester counter lining, tongue lining, collar lining, tongue and collar, available in three insock options: 1. Dark Grey Polyester Mesh + SJFOAM2 Industrial (PU)/SJ3FIT (REGULAR) , 2) Dark Grey Polyester Mesh + SJ3FIT (SLIM) ,3) Dark Grey Polyester Mesh + SJ3FIT (WIDE), PU sole, TLS lace lock closure system, sewn with polyester thread, available in three colourways: BLK(black upper, collar, tongue and lining), ORA(black upper, collar, tongue and lining), NAV(navy upper, collar, tongue and lining) , in size range: EU 35-48;
- c) Model: LIGERO2 S1P MID, ankle boot: design B, comprising of polyester fabric upper with black TPU covering and scuff cap, N604 SJ composite toecap, SJ Light non-metallic penetration resistance insert/insole, polyester mesh vamp lining and quarter lining, black Oxy Neoprene single polyester counter lining, tongue lining and tongue, Oxy Neoprene single (polyester) and Andorra nubuck (polyester) collar lining, Neoprene single polyester and polyester nubuck microfiber collar, available in three insock options: 1. Dark Grey Polyester Mesh + SJFOAM2 Industrial (PU)/SJ3FIT (REGULAR) , 2) Dark Grey Polyester Mesh + SJ3FIT (SLIM) ,3) Dark Grey Polyester Mesh + SJ3FIT (WIDE), PU sole, lace-up closure, sewn with polyester thread, available in three colourways: BLK(black upper, collar, tongue and lining), ORA(black upper, collar, tongue and lining), NAV(navy upper, collar, tongue and lining) , in size range: EU 35-48;
- d) Model: LIGERO2 S1P MID TLS, ankle boot: design B, comprising of black polyester fabric upper with black TPU covering and scuff cap, N604 SJ composite toecap, SJ Light non-metallic penetration resistance insert/insole, black polyester mesh vamp lining and quarter lining, black Oxy Neoprene single polyester counter lining, tongue lining, collar lining and tongue, black Oxy Neoprene single polyester and polyester nubuck microfiber collar, available in three insock options: 1. Dark Grey Polyester Mesh + SJFOAM2 Industrial (PU)/SJ3FIT (REGULAR) , 2) Dark Grey Polyester Mesh + SJ3FIT (SLIM) ,3) Dark Grey Polyester Mesh + SJ3FIT (WIDE), PU sole, TLS lace lock closure system, sewn with polyester thread, available in size range: EU 35-48;

Contract No: GSL-CERT260900313-01

Technical File: TF_LIGERO2, Revision: 0, Dated: 2026/09/14.

Additional information Detailed Characteristics:

Classification: Class I

Closure System: a) &c) Lace up, b) & d) TLS system,

Construction: Cemented

Last Reference: VADIMUR

Mould Reference: M2935

Size(s) Range: EU 35-48